

## Learner TurboMAX 40 PAX

From :  
Business Octane Solutions Pvt Ltd  
JMD Megapolis, 5th Floor  
Sector-48  
Gurgaon 122018  
Ph: 0124-39884088  
Email: Delhisales@businessoctane.com  
5-Sep-2026

| Sr. No.                                                  | Part Code | Equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Unit Selling Price | Qty | Gross Selling Price |
|----------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|---------------------|
| <b>Professional 4K Display and Touch Content Monitor</b> |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |     |                     |
| 1                                                        | OSS-103   | <b>OSEL 185" diagonal including 98" 4K interactive flat panel as main screen recordable smart</b> with Infrared 20/40 touch that support finger, pen, pointer, marker and chalk, handwriting content on sub-board can be recorded on main screen in real-time to save and share, dual 20W speakers with subwoofer, 20 mega pixel inbuilt 4 K camera with 9 array / 12 array microphones inbuilt, comes with android-14 including RAM 4GB optionally available: 8GB /16GB /32GB and ROM 32GB optionally available: 128GB /256GB /512GB, processor intel i3 / i5 and i7 with latest generation CPU and windows-11 Whiteboard / Greenboard / Blackboard and mixed type optional, 1 + 2 mode with seamless combination writing with market or chalk as option,                                                                                                                                                                                                                                                                                                                         | <b>6,60,700</b>    | 1   | 6,60,700            |
| 2                                                        | PAN-125   | <b>Panasonic 55" diagonal 4K UHD resolution, 400 nits Professional LCD/LED Display</b> , 24x7 on time with swivel wall mount                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>86,900</b>      | 3   | 2,60,700            |
| 3                                                        | PAN-126   | <b>Panasonic 65" diagonal 4K UHD resolution, 400 nits Professional LCD/LED Display</b> , 24x7 on time with swivel wall mount                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>1,39,600</b>    | 2   | 2,79,200            |
| 4                                                        | LUM-107   | Custom Heavy duty dual arm 60 degrees swivel mount kit for up to 80" diagonal LCD screen with max 60kg weight, 58-402mm profile, 5 to 15 degree tilt.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>7,900</b>       | 5   | 39,500              |
| 5                                                        | LUM-108   | Custom heavy duty dual arm 45 degree swivel mount kit for upto 120" diagonal LCD screen with max 120kg weight, 75-703mm profile, 5 to 15 degree tilt.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>18,000</b>      | 3   | 54,000              |
| <b>Professional Video Codecs</b>                         |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |     |                     |
| 6                                                        | VCO-306   | HP Compute System for Zoom Room / Microsoft Team Room System includes dual display output codec with HDMI ingestion for presentation sharing with 10.1" Touch screen controller, yearly subscription of Teams Rooms Pro would be in customer scope.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>7,18,000</b>    | 1   | 7,18,000            |
| <b>Professional Altra CAMSWITCH</b>                      |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |     |                     |
| 7                                                        | ACS-102   | <b>BO Altra CAMSWITCH-4000 - Broadcast Cut Automated Voice-Tracking Camera Swtiching with Streaming &amp; Recording Capability:</b><br>It is engineered specifically for medium-to-large meeting or boardroom, auditorium environments, lecture theaters, and corporate performance halls, combining artificial intelligence (AI) auto-voice tracking with a unified network infrastructure, the system captures flawless multi-angle video of presentations, panel discussions, and keynotes, entire four-camera ecosystem can be managed by a single operator or run completely automated, drastically reducing production overhead while delivering broadcast-quality outputs for image magnification (IMAG), internal recording, and live streaming.<br>1. Four no. 2K FHD 20X Broadcasting quality with AI Tracking PTZ Camera<br>2. One no. 6 in 1 Camera Switch, Streaming and recording system with 7" touch panel.<br>3. One no. Auto-Voice activated tracking swticher<br>4. Two nos. HDMI to USB 3.0 Capture Device (for VC application) Plug-n-Play HDMI-USB Capturing | <b>29,52,000</b>   | 1   | 29,52,000           |

| Sr. No.                                                      | Part Code | Equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Unit Selling Price | Qty | Gross Selling Price |
|--------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|---------------------|
| <b>Professional Integrated Audio Conferencing System</b>     |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                    |     |                     |
| 8                                                            | IAS-101EX | <b>AltraCLARITY® - 2000EX - Integrated Audio Conferencing System Suitable for room size 24'x60'</b><br>a). Get highest quality teleconferencing experience coupled with local voice lift of 5db to 12db (depends upon room size) which is truly as intimate and natural likely face to face for two large group of people in a video or audio call.<br>b). Two nos. 360 degree coverage ultra high sensitive conferencing tile microphone array.<br>c). One no. Multi-channel digital signal processor based digital accoustic echo cancellation with 4 mic/line inputs and 8 mic/line outputs, USB input and AEC in all channels.<br>d). USB Connectivity for Teams/Zoom/BYOD video calls.<br>e). One no. 4 channel and One no. 2 channel power amplification with 2 nos FOH & 6 Ceiling speakers for uniform distribution of Audio.<br>f). On-table mute and un-mute button capability.<br>g). Installation, Programming, Testing & Commesionning                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>23,59,100</b>   | 1   | 23,59,100           |
| <b>Professional Control, Switching and Automation System</b> |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                    |     |                     |
| 9                                                            | IAS-101   | <b>BO Video &amp; Local Collaborations Enhancer &amp; Simplifier Solution AltraWorkdriverVC™ 800 including</b><br>a) Professional 4K UHD resolution 8x8 HDMI 2.0 with Audio fast & Seamless HDCP Compliant Matrix Switcher for all meeting modes for switching & distributing video and content.<br>b). Whiteboarding & Anotation capability in local as well as in video call on table touch monitors subject to cloud platform supporting the same<br>c) BYOD capability in one cable management system for room camera, displays & audio system for BYOD VC application, also with presentation sharing thorough HDMI capability.<br>d). BO MypcXPLAIN™ capability via inbuilt LED buttons with blue color illumination for fast & seamless presentation show & switch system during Lcoal or Video Meeting.<br>e). Dual Presentations Share & Compare capability to show either same source/laptop on both front displays or two separate sources/images on front displays.<br>f) 10.2" Wi-Fi touch screen with BOSPL SimpliUSE™ GUI for the easy control of various video & Local meeting modes along with detachable wall/table docking station (for wireless touch panel).<br>g) One button touch individual participants Zoom in view system "Show Me" for all the participants in video meetings<br>h) Distribution amplifier, USB Hub, USB Switcher, HDMI to USB Convertors.<br>i) Ethernet type central control processor with more I/o, serial ports.<br>j) Hi-Power relays for rack, lights & power control capability, along with 10A power conditioner with surge protection.<br>k) Four Button meeting mode selector & lighting control system.<br>l) Eight port wired and One access point network capability for controlling and operate to all AV devices.<br>m) Installation, Programming, Testing & Commesionning | <b>17,12,000</b>   | 1   | 17,12,000           |

| Sr. No.                                                                           | Part Code | Equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Unit Selling Price | Qty | Gross Selling Price |
|-----------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|---------------------|
| <b>Professional Motorised Height Adjustable AV Podium</b>                         |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                    |     |                     |
| 10                                                                                | OSS-121   | <b>OSEL Motorised Height Adjustable AV Podium for Classroom, Training Room &amp; Seminar Room</b><br><b>-All-In-One Integrated Solution:</b> dual touch teaching screen, combined with specialised windows software that intalls directly onto computer, creates a harmonious ecosystem, inbuilt podium.<br><b>-Includes built in rack PC:</b> Provides control for switching between rack PC, Laptop & Ceiling Vizualizer.<br><b>-Ultimate, Natural Interaction:</b> Experience the feel of writing on paper, touch screen offers exceptional writing precision, allowing you to effortlessly jot down ideas, diagrams, and explanations, every stroke is captured and shared with students in stunning details, making thought process visible and memorable.<br><b>-One-Click Simplicity:</b> You are moments away from teaching, power on system and with a single click, access your core teaching tools.<br><b>-Includes True HD Ceiling Vizualizer:</b> Full HD ceiling document vizualizer provides capability of presenting from documents kept on podium.<br><b>-A Clutter-Free Classroom:</b> All cables between the screen and the main computer are neatly hidden within the hardware, creating a tidy, professional, and distraction-free learning.<br><b>-Premium Construction &amp; Configuration Design:</b> Crafted with a refined steel wood compsite structure, support tailored configurations of power and AV interfaces, engineered to meet sophisticated institutional requirements.<br><b>-Intelligent Ergonomic Motorised Height Adjustment System:</b> Experience seamless adaptability with electric height adjustment 80-125CM range, screen depth control, preciscion tilt modification, the system features three programmable presets and operates at a discreet sub -40dB noise level. | 11,04,000          | 1   | 11,04,000           |
| <b>Professional Cable and Connectors</b>                                          |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                    |     |                     |
| 11                                                                                | CAB-101   | A set of HDMI, USB and ethernet cables and connectors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                    | 1   | 5,07,000            |
| <b>Freight, Transit &amp; Site Insurance, Testing &amp; Commissioning Charges</b> |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                    |     |                     |
| 12                                                                                | FRE-101   | Freight, Transit and Site Insurance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                    | 1   | 3,19,400            |
| 13                                                                                | INS-101   | Implementation-Installation, Programming, Testing, Commmissioning, Training & as build drawing Charges                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    | 1   | 10,64,700           |
| <b>Total</b>                                                                      |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                    |     | <b>1,20,30,300</b>  |

|   |                                                                                           |  |                     |
|---|-------------------------------------------------------------------------------------------|--|---------------------|
| 1 | <b>Leaner TurboMAX - CAPEX Price for India (In INR)</b>                                   |  | <b>₹1,20,30,300</b> |
| 2 | <b>Leaner TurboMAX - CAPEX Price for Outside India (In US Dollar)</b>                     |  | <b>\$3,00,758</b>   |
| 3 | <b>Leaner TurboMAX - CLASS Service Charges per month for India (In INR)</b>               |  | <b>₹4,17,692</b>    |
| 4 | <b>Leaner TurboMAX - CLASS Service Charges per month for outside India (In US Dollar)</b> |  | <b>\$12,531</b>     |

**Note:** GST: Above given price exclusive of GST, GST extra as applicable.

Payment:

a).100% Advance along with commercial clear purchase order.

b). Implementation-Payment against Installation

**Delivery:** 4-6 weeks from the date of commercial clear P.O.